

Previous references

1924.

(none)

File No 17-24

Serial Nos 32 & 33

Later references

Preserve

GENERAL AND REVENUE SECRETARIAT.

Serial Nos

Part B for Sept 26

SUBJECT

Petition from Mr. Devaji Rao, Vice President,
Yealake Municipal Council in regard to several
inconveniences to be afforded in connection with the
shifting of Yealake town to new extension

file ordered to be closed

AB
28/9/26

Routine Notes.

[To be used only for notes requisitions, etc, not intended for permanent record]

4078



The Local Self Govt Branch is requested to put up the file, if any, relating to the shifting of yedutne town to a healthier locality, referred to in the accompanying petition.

27/3/25
27.3.25

To Supdt & SG (Bounta)
Campb. meals

81-13a, 77419
Re me 20-19, relating to the formation of new yedutne town, is herewith put up

48
28 3/25
28.3.25

To The Supdt (Rav. Br.)
Lth Campb.

Recd 4 550m
27 3 25
In H. L. K. 5

0 4 224
ml 20 19 18

N.B.—Should routine notes be written on small slips, the notes must be copied on slips pasted on this form

G.R.S. III-31

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

N.B.—Should routine notes be written on small slips,
the notes must be copied or slips pasted on
this form.

RN

File No

of 19

25

Serial
No

Extracts of Dewani's order
in the petition below—

Revs see

- 1) By the shifting of the Tum, a revenue of Rs 300 per annum is assured to the Govt as nearly 300 acres of land reserved for the health of the tum will be brought under wet cultivation.
- (1) An advance ^{about} of Rs 4,000 ~~will~~ maybe made for the building society.
- (2) As regards the water supply the maintenance charges & the initial cost should be in the proportion borne by the Krishna - Rajasagara and Rev Dept in equal shares. The maintenance charges maybe transferred to the mltz after the tum is built and the municipality in the new tum is well established.
- (3) As regards supply of electric power, the Chief Engineer (Electrical) maybe consulted.
- (4) The construction of the Lamp & mosque maybe taken up by the mizrai Dept.



3 Rg

File No

of 19 May

General

Refers

2) Rev Sec's order thereon. —

As Rev Urgent. Refers

Juth K/A

26/8/25

Juth S.V

26/8/25

Serial
No3) There are 4 points above which
orders have been passed

4) Action has been taken in the
Rev Branch on point no (1), re
advance of Rs 4,000 to the Building
Society at vadature. An extract of
the demand order was placed in
C.S file no 86 of 24-25 & subd to
the Secd member of Council funds

5) A copy of the petition together
with the demand order thereon
was sent to the Muzrai Branch
with refce to the last point - re
temple & mosque -

6) Points nos (2) & (3) re water supply
& supply of electric power to the
temple are matters which require
to be dealt with in the Local Self
Govt Branch.

7) Subd for order as to whether this matter Yes
transferred to that Branch

8) Refers Rev Sec's order thereon

Jag
30/8/25

20.9.25

Rev - Sec

K. K. K.

a) 20 3 25

NOTE - Contn

31/3

8/4

Recd

R
25/8/25
14/2

Serial
No.

10) Draft G.O. about water supply to the Yedatla tower is put up, as per Secy's orders at para 2 above.

11) Draft letter to the Chief Electrical Engineer, about the supply of electric power to the tower is put up separately.

12) Reference paras 6 and 9

13) In this connection it may also be stated that wellcosting about Rs 19,000/- were sunk in the 140-5 Yedatla tower, the Coast Engineer advised by the PWD.

14) The 125/11/40 - Annex (2) d(3) of 5/4/2011 Para 1, and para 6 of the 2/15/10.

15) The letting of the flat of the scheme to the Krishnarajapuram & the Thuvana Dept in equal shares will perhaps have to be considered in Council after the opinion of the Works Section is obtained, & plans & estimate for the water supply are received. The Chief Engineer might perhaps be requested in the first instance to prepare & forward for perusal only plans & estimate. In para 6 of the representation, reference is made to the use of electric

6468224

power in the water supply scheme also.
~~The~~ The Chief Engineer might perhaps be
 requested to consult the ^{Chief} Technical Engineer
 who will also be consulted, as
 regards the supply of electric power for
 industrial purposes

Serial
No

L. L. L. L.
 20/4/25

20/4/25
 84
 20/4

8494
 21/4

17) The Chief Engineer may
 be requested to prepare a
 Scheme ~~of~~ to state whether
 there is any chance of
 developing water supply
 The Cheaper and probably be
 to build a reservoir near
 the Channel with filter
 bed if water can be
 let in for water supply
 purposes throughout the
 year. Pumping from the
 river might be too
 expensive. He might consider
 both alternatives, & give his
 opinion.

18) It seems not
 possible to develop electricity for lighting &
 along with the water supply power
 scheme, & this will have
 to wait till the putting up of
 a dam at K. S. S. S. S.
 The Chief Engineer may
 however be requested

22/4/25

22/4/25



Serial
No.

But please see the Second Member's
minutes at para 43 of the C.S. File 86-24
relating to the grant of an loan to the
operative town cooperative Society for
hauling the road in the town.

The questions connected with the
shipping of yedatole are :-

(i) House Building Cooperative Society
Registrar's reply to be awaited

(ii) Free grant for laying out the
Town proposed by Deputy Commr.
D.C.'s further report called for?

(iii) Water Supply Chief Engr. K. H. H. H.

(iv) Lighting - whether electric possible
and also power for distribution
in the town, District Engr.

(v) Places of worship to be
taken up later on

Y please see that none of these are
lost sight of and files are linked.

Indd. K. C.

19/5/25

L. D. Y. S. S. S.
2nd 138-24

D. 6120

D. 6468

2nd 17-24

7459

General and Revenue
Secretariat

File No

of 10

Serial
No.

3) Will refer to para 1 & 2 above it is
subject as follows:

para (I) (u) Deputy Comm. Report read on
25.5.55 and in subject display

(ii) Chief Comm. Report awarded
at 25.5.55
at 25.5.55, awarded
Subject for information

7584/pt 138-23

1-10-55
1-10-55

27/5/55

27/5/55

27/5/55

Serial
No

19) Draft letter to the chief Engineer
Melbyore is put up as per para 14 supra
20) As para 15 it is ordered that
the chief Engineer may however be consulted,
perhaps the chief Electrical Engineer
is meant as the subject relates to the
supply of electric power to the town.
Draft letter to the said officer is
already put up in the linked file

21) ~~Now the same is under consideration~~

PJB
24/4/21 - 22) Dmgs are sent

1 2 lines

I w h w l

2 3/1 one drafts is (the B)
Gues. In p.m.
on issue

100
1/5
81.5

-4/ Mon

100
4/5

100
4/5
81.5
25/24
100/10


8810
30/4

one sent
into 688 - C.A.
29/4

5/2
REVENUE SECRETARIAT
9 MAY 1925
FOR THE GOVT. ENGINEER

33

not 7903 & 6157-25 To chief Engr of Mysore
forwards extracts from para 6 of the letter
in Devogelara, viz. Government of Mysore
order for favour of opinion



Mushir-ul-Mulk,

Mir. Humza Husain Esq., B.A., B.L.,

Dewan of Mysore, Bangalore.

Sir,

On behalf of the inhabitants of Yedatore Town, I, M.S Devoji Rao, resident of Yedatore, Vice President of the Town Municipality, and representative of Yedatore Taluk on the -- Mysore District Board, most respectfully beg to approach you with this petition.

2. We are deeply grateful to you personally, and to the Government of Mysore of which you are the head, for sanctioning the long contemplated extension of Yedatore, thereby laying the foundations of a new era of prosperity for the town and Taluk. We are aware that what was so long a mere idea has become a fact, and that to our children's children the insalubrity of Yedatore will have become a mere myth connected with the mouldering ruins of the Old Town.

2. Yet, Sir, before your intentions, and our ardent hopes can materialise, there are a few essential requirements which will have to be provided by Government in the same liberality of spirit in which the scheme itself has been conceived. The prayer we make will have to be considered from the standpoint not only of the past, but also of the future, in relation not only to what Yedatore has been and what it has -- suffered for the good of the State as a whole, but also to what Yedatore can justly expect to become when the resources of the Taluk have been fully developed in view of new facilities of communication, and a prosperous agriculture

3. The insalubrity of Yedatore Town was entirely due to the extension of irrigation which benefitted the Taluk, and was accentuated by the construction of the Krishnaraja Sagara which is a work of national importance. The health of Yedatore was sacrificed in the public interest, and therefore the town has earned a special claim on the sympathy of Government

W

4. You know, Sir, that the removal of a whole town to a new location is not ~~to~~ to be effected without severe individual suffering, both mental and material. Not to speak of the violence to sentiment and rooted habit, material suffering centres round such essential requirements as capital for reconstruction of -- houses, provision of water and light, and provision of places for worship.

5. It has been estimated that the total value of the house property in the ~~the~~ old town is about 3½ lakhs, and this is a very conservative estimate. A large proportion of the people are too poor to build new houses without financial help, and yet, in a new and aspiring town it is quite necessary that the houses should conform to a certain standard of quality. We have decided to start a building Co-operative Society, and request that Government should lend us Rs. 50,000 at an interest of 4%. This should be done without delay, as the construction of houses will not commence in earnest before money is made available.

6. The site of the extension is not doubt admirable, but in avoiding the evils of dampness, we have also had to sacrifice the conveniences of a water supply so abundant that we had almost lost realisation of its value. It is almost certain Sir, that the extension will fail in its object unless an ample supply of water is provided. We beg Government to get a comprehensive scheme of water supply prepared and to endow the new town with this essential requirement. [The employment of electric power in the scheme would solve the question of lighting also, and would further provide facilities for starting such industries as rice-mills, which require power plant. What the cost would be, we have as yet no idea, but it cannot be more than Government may legitimately -- spend in a town which has had to be shifted in the public interest, and which has a great future. The cost of maintenance may after a term of years be shifted on the Municipality, which by then will probably have developed strength enough to bear it.]

7 Another requirement of new Yedatore is places of -- ~~the~~ worship for Hindus and for Mahomedans who will lose their

11

historic temple and beautiful Mosque by submersion. Sites will have to be selected and buildings of suitable designs provided at Government cost.

8. We know, Sir that we shall not have the good fortune to have you at the helm of the State till these works are -- sanctioned, but the opinion and support of one who knows us and our requirements so intimately, and whose heart beats in such deep sympathy with all his fellow country men will be of great value and assistance to us, and we beg you to leave -- your opinion on record for our benefit.

I beg to remain,

Sir,

Your most obedient servant,

Yedatore,
23-3-1925.

Sd/ M.S. Devoji Rao.

Offg. Dewan's Order

Revenue Secretary.

1) By the shifting of this town a revenue of Rs. 3,000 per annum is assured to the Government as nearly 300 acres of dry land now reserved for the health of the town will be -- brought under wet cultivation

1 An advance of about 40,000 rupees may be made for the building Society.

2 As regards the water supply, the maintenance charges and the initial cost should in the 1st instance be borne by the Krishnaraja Sagara and Revenue Department in equal shares The maintenance charges may be transferred to the Municipality after the town is built and the Municipality in the new town is well established.

3. As regards supply of electric power, the Chief - - Engineer(Electrical) may be consulted.

12 ✓ 64682

4. The construction of the temple and Mosque may be taken up in the Muzrai Department.

(Sd, J. H. H. 24 3 1925)

Draft letter to the Chief Electrical Engineer about supply of electric power to the Yedastan Temple is put up, as per Dewan's order at para

3 above

1203
17/4/25 JMK
17 425

Petn no 122

25 3 25

D 4025
26 3 25

To

Mushir-ul-Mulk

Mir Munza Hussain, Esq., B.A., B.L.,

Dewan of Mysore, BANGALORE

Sir,

17-24-32

On behalf of the inhabitants of Yedatore
Town, I, M S. Devoji Rao, resident of Yedatore,
Vice President of the Town Municipality, and -
representative of Yedatore Taluq on the Mysore
District Board, most respectfully beg to approach
you with this petition

1 We are deeply grateful to you personally, and to the Government of Mysore of which you are the head, for sanctioning the long contemplated extension of Yedatore, thereby laying the foundations of a new era of prosperity for the Town and Taluq. We are aware that what was so long a mere idea has become a fact, and that to our children's children the insalubrity of Yedatore will have become a mere myth connected with the mouldering ruins of the Old Town.

2 Yet, Sir, before your intentions, and your ardent hopes can materialise, there are a few essential requirements which will have to be provided by Government in the same liberality of spirit in which the scheme itself has been conceived. The prayer we make will have to be considered from the stand-point not only of the past, but

but
the maintenance charges
in the 1st category -
and the 2nd category by the
State - the maintenance charges

Ich habe gefunden
Menschchen
bei Ihnen ~

- 2 in. heavy
 * hand linen
 attached
 As regards clothes
 2 clothes
 1 in. heavy
 super (chemical)
 satisfaction was

is cancelled
 * * *
 The last week
 of the month 2^d
 August may be
 taken up as
 Messrs
 diff:-
1/11
 24/3

On Per -
 Super
 12/15/73
 Per 73
 26/73

15

3

quite necessary that the houses should conform to a certain standard of quality. We have decided to start a building Co-operative Society, and request that Government should lend us Rs 50,000/- at an interest of 4% This should be done without delay, as the construction of houses will not commence in earnest before money is made available

6 The site of the extension is no doubt - admirable, but in avoiding the evils of dampness, we have also had to sacrifice the conveniences of a water supply so abundant that we had almost lost realisation of its value It is almost certain - Sir, that the extension will fail in its object unless an ample supply of water is provided We beg Government to get a comprehensive scheme of water supply prepared and to endow the new Town with this essential requirement The employment of electric power in the scheme would solve the question of - lighting also, and would further provide facilities for starting such industries as rice-mills, which require power plant What the cost would be, we have as yet no idea, but it cannot be more than - Government may legitimately spend in a Town which has had to be shifted in the public interest, and which has a great future The cost of maintenance may after a term of years be shifted on the Municipality, which by then will probably have developed strength enough to bear it

7 Another requirement of new Yedatore is - places of worship for Hindus and for Mahomedans, - who will lose their historic temple and beautiful

Mosque

Mosque by submersion Sites will have to be selected and buildings of suitable designs provided at Government cost.

8 We know, Sir, that we shall not have the good fortune to have you at the helm of the State - till these works are sanctioned, but the opinion and support of one who knows us and our requirements so intimately, and whose heart beats in such deep sympathy with all his fellow countrymen will be of great value and assistance to us, and we beg you to leave your opinion on record for our benefit

YERATORE,
23-3-1925

I beg to remain,
Sir,
Your most obedient servant,

M. S. Wani

subject

17

that brief

Diary No of letter replied to 6120

General and Revenue Secretariat

()
the 192

Date of issue

16/5/25

Signed by

[Signature]

List of enclosures

Copied by

[Signature]
2/5

Examined by

Section

2nd

File No

17-24

Serial No

33

No

27993

Enc 1

To

The chief Engineer of Bellary

Sir,

I am directed to forward herewith extracts from para 6 of the petition presented to the Dewan by Mr. M. S. Devaji Rao, Vice President of the Yellare Tomen Union, on behalf of the residents of the Yellare Tomen, on 23.3.25 in regard to the water supply to and to request you to be so good as to prepare a scheme of water supply to the said town, at an early date.

The cheapest scheme would probably be to build

over

a reservoir near the channel
with filter beds if water can
be let in for water supply
purposes, throughout the year.
pumping from the ^{river} source

It is felt that

might be too expensive

I am ^{to} report you to

to be so good as to consider
both the above alternatives

and furnish your opinion. with the matter only

I have etc

DOB ^{Wm}
23/4/51 L R Long & Co
H K
23/4/51

In Swan River ^{Wm}
wants also ^{to} develop
Power to be ^{developed}
developed for ^{hydro}
a hydro pump, ^{but}
but the ^{has} probably
to be over ^{all}
an installation is
being as the
Hushu as a ^{power}
down. The Chief
Superintendent
has made ^{the}
request

SUBJECT

69

Diary No of letter replied to

General and Revenue Secretariat

192

Date of issue

11/8/26

Signed by

W. T. J. S.

List of enclosures.

Copied by

Examined by

Section

File No

Serial No

No 1056

To

The Chief Engineer
in Mysore

Sir,

I am directed
to write reference
to this office no 7903
ml 17-24-33

dated 6/5/25 Calling
for your opinion on the
petition from Mr. Deva
Rao & Co. & others
for a settlement of
the land in regard to the
water supply to
the settlement town extension

over

20

and to request you
to be so good as to
attend to your reply
~~there to as the matter~~
~~is been pending for a~~
~~so long time~~

I have etc


for L. L. Ser to forward

No. 2771

WD.1998—GPB—5 000—27 4—25

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE,

Dated Bangalore, 7 September 1926



JOHN BHOORE, Esq, AMICE,
Chief Engineer of Mysore,

Bangalore



B Nagappa, Esq, Bar-at-Law,

Secretary to Government,

Local & Legislative Departments,

B A N G A L O R E

Sir

ml, With reference to your No L. 1056 dated the 11th August 1926
I have the honour to inform you that the project for water supply to
Yedatore Town, amounting to Rs 1,45,022/- has been forwarded to the
Chief Engineer and Secretary to Government, Krishnarajasagara Works,
for disposal in this Office No. 1005 dated 26-7-1926. That Officer
may kindly be addressed in the matter


I have the honour to be,

Sir,

Your most obedient servant,

Subd for information and
Advs vide par 17 of the notes for Chief Engineer of Mysore

19/9 The whole question of improvement
of Yedatore Town to be dealt with by the
Chief Engineer & Secy to Govt. Krishnarajasagara Works
in this office with the necessary
advice)



17/9
1079